

**APPLICATION FOR PERMISSION TO CHANGE POINT OF  
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office AUG-10-1994 - ~~NEW PRIORITY~~ DATE: APR 10 2000  
 Returned to applicant for correction \_\_\_\_\_  
 Corrected application filed \_\_\_\_\_  
 Map filed OCT 10 1994

\*\*\*\*\*

The applicant Alan J. Sego and Carolyn L. Sego, Co-Trustees of the Sego Family Trust - April 19, 1992, hereby makes application for permission to change the Point of Diversion and Place of Use of a portion of water heretofore appropriated under Permit 27565, Certificate 9459

\*\*\*\*\*

1. The source of water is underground
2. The amount of water to be changed 0.0247 cfs not to exceed 2.02 afa
3. The water to be used for irrigation and domestic
4. The water heretofore permitted for irrigation and domestic
5. The water is to be diverted at the following point within the NW $\frac{1}{4}$  SW $\frac{1}{4}$  Section 10, T.16N., R.19E., MDM., or at a point from which the W $\frac{1}{4}$  corner of the said Section 10 bears N.72 deg. 50 min W., a distance of 161.0 feet
6. The existing permitted point of diversion is located within the SE $\frac{1}{4}$  NW $\frac{1}{4}$  Section 23, T.16N., R.19E., MDM., or at a point from which the W $\frac{1}{4}$  corner of the said Section 23 bears S.89 deg. 07 min. W., a distance of 1,697 feet.
7. Proposed place of use within a portion of the NW $\frac{1}{4}$  SW $\frac{1}{4}$  Section 10, T.16N., R.19E., MDM. Total - 0.505 acres in a portion of APN 055-032-20.
8. Existing place of use within the SW $\frac{1}{4}$  NW $\frac{1}{4}$  - 3.860 ac., SE $\frac{1}{4}$  NW $\frac{1}{4}$  - 16.490 ac. and the NE $\frac{1}{4}$  SW $\frac{1}{4}$  - 0.082 ac., all in Section 23, T.16N., R.19E., MDM. Total - 20.432 ac.
9. Use will be from January 1st to December 31st of each year.
10. Use was permitted from January 1st to December 31st of each year.
11. Description of proposed works drilled 8" well with 6 5/8" casing to a depth of 216 feet, install submersible pump to pressure system.
12. Estimated cost of works at least \$5,000
13. Estimated time required to construct works One (1) year
14. Estimated time required to complete the application of water to beneficial use Five (5) years
15. Remarks: Water under this application will be used for landscaping, lawn, garden and domestic purposes with sprinklers and drip irrigation system.

By s/Alan J. Sego  
 4951 Franktown Road  
 Carson City, Nevada 89704

Compared my/bk dl/cms

Protested \_\_\_\_\_

\*\*\*\*\*

## APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 27565, Certificate 9459 is issued subject to the terms and conditions imposed in said Permit 27565, Certificate 9459 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0247 cubic feet per second, but not to exceed 2.02 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

November 23, 1999

Proof of completion of work shall be filed before:

December 23, 1999

Application of water to beneficial use shall be filed on or before:

November 23, 2003

Proof of the application of water to beneficial use shall be filed on or before:

December 23, 2003

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 23rd day of November, A.D. 1998

*R. Michael Turnipseed P.E.*  
State Engineer

Completion of work filed JUL 21 2000

Proof of beneficial use filed JAN 29 2003

Cultural map filed \_\_\_\_\_

Certificate No. 16262 Issued DEC 16 2003

CANCELLED APR 21 2000 BECAUSE OF FAILURE  
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

*R. Michael Turnipseed P.E.*  
STATE ENGINEER  
can rescinded 7-21-00